

RIKIN

Safety Shoes



Safety Shoes

Rikin is a division of **Subham Safety Group**, and we are in the business of your safety from last 30 years, Rikin was started to solve a long standing problem in Pharma industry, that is to provide a safety shoe which is :

- Washable
- Dries instantly (else inventory has to be Increased
- Safety toe.
- Non-Linting
- Unisex Options
- Color options
- Anti-Fatigue (as workers need to stand all day).
- Chemical Resistant.
- Cleanroom Compatible sole
(Tablets don't get stuck, powder can be washed easily).
- Comfortable toe area



It took 4 years of Research and Development to finally develop and improvise World's First Cleanroom Safety Shoe which can solve all the above problems.

We take proud to inform that our shoes is now approved by most clients in Pharma Industry both National and International, also that our product is being exported to multiple countries.

It was this positive feedback which led us to go a step further and dwell into the Industrial Safety Shoes business. We have teamed with Industrial experts to provide our customers with a safe and happy experience.



Cleanroom Shoes Range
Page 3-4



Safety Shoes Range
Page 5-13



Gum Boots Range
Page 14

Models

Admire | Admire+

Cleanroom Clogs | Safety Clogs

Anti-Skid | Light Weight
Broad Toe region.



Power Grip Sole

Blitz

Cleanroom Safety Shoes

Extra Thick Sole, AntiFatigue
Standard Ankle for grip



Wave Grip Sole

Comfort

Cleanroom Safety Sandals

Sandal strap for ankle grip
Light weight and ergonomic.



Dotted Sole

Desire

Cleanroom Safety Clogs

Ultra Light weight for comfort.
Low ankle or easy donning /doffing.



Dotted Sole

Features and Specs



- Made using **Rikilite P1 polymers**.
- **Non Lintng, No Pasting, No Stitch** on outer surface.
- **Anti-Fatigue Sole** options for 8-10hrs Standing job
- **Lightweight** Safety Footwear starting at **180gms**
- Broadest toe with padding for full day comfort.
- Base resin **complies FDA21** CFR 177.1350(a)(1)
- **Unisex** design with **sizes from 2-12**
- Proprietary sole designs which allows any residue to be cleaned easily & **avoid cross contamination**.
- **Machine Washable and dries instantly**, helps to reduce inventory and operating cost.
- **Resistant** to most **chemicals** and cleaning agents.
- Non-Metallic and Non-Corrosive **Safety Toe**
- **Colour options** to ensure zone wise segregation.
- Tested as per EN Standards and CIPET (NABL),

Customizations

Colour Options

Vent Options



White



Butterfly Vents



Standard Vents (5 top 4 sides)

* Other Colours can be developed upon request and MOQ



Brown



Black



Grey



Blue



Rear Vents
Ideal for drying

FAQ's



ESD Strips can be fitted on all our shoes
Designed to dissipate the Static charge
generated by body in ground.

Note : The flooring has to be
Conductive, for it to work.



Can these be Sterilized and Machine Washed?
These can't be autoclaved but can be sterilized using
ETO / GAMA Radiation.
These can be washed in Washing Machine

How much time to Dry ?
These shoes don't absorb water so , 10-15 mins in
drier machine or simple wipe with a cloth will do.

Will they decolour after abrasion / chipping
These are resistant to most chemicals and cleaning
agents, Including 90% Sulphuric Acid.

Will they decolour after abrasion / chipping
We used precoloured granules so it remains same.

Are these Anti Static ?
No, But we can provide ESD Strips to dissipate charge
which is useful only if your flooring is conductive. .

Are there different models for Ladies and Gents ?
All shoes are Unisex and available from size 2 - 12

Sporty Range



Runner

Weight : 425 gms / Pc (Appx)

Design : Sporty

Sole : Single Density Injection Moulded PU

Upper : Suede Leather

Counter : Leather Heal Counter

Toe : Composite Toe

Size : 6- 12



Design : **Unisex Sporty**

Sole : Single Density (**Sporty**)
Double Density (**Cruz**)

Upper : Suede Leather

Counter : Leather Heal Counter

Toe : Composite Toe

Size : 2- 12

(Size 2-5 only Single Density)

Insole : Foam Insocks for Comfort

Sporty

Weight : 410 gms/Pc (Appx)



CRUZ

Weight : 470gms / Pc (Appx)

Ranger Series (Vegan)

RIKIN

Safety Shoes



Ranger 01

(Black - Grey)



Ranger 02

(Blue - Red)



Design : Sporty
Sole : Single Density Injection Moulded PU
Upper : Micro-Fiber Fabric
Counter : Heal Counter
Insole : Foam insole for 8hr Comfort.
Toe : Fiber Toe (100j)
Size : 6- 11
Weight : 425 gms / Pc (Appx)

Weight :400 gms / Pc (Appx)



Boss

Design : Derby
Sole : Single Density PU
Upper : 100% Leather
Counter : Fabric Heal Counter
Toe : Fiber Toe 100 Joules
Size : 2-11
Insocks : Foam Insole for all Day Comfort
CE Certified

Comfort (Unisex)

Design : Slipon
Sole : Single Density PU
Weight : 450 gms/pc
Upper : 100% Alabama Leather
Counter : Fabric Heal Counter
Toe : Composite Toe
Size : 2-12
Insocks : Foam Insole



Alabama (SD/ DD)

Design : Derby

Sole : Single Density (SD)
Double Density (DD)

Upper : 100% Alabama Leather

Counter : Fabric Heal Counter

Toe : Steel Toe 200 Joules (ST)
Fiber Toe 100 Joules (FT)

Size : 5-11

Insocks : EVA Insole (SD)
Foam Insole (DD)



Our Steel Toe Shoes are Anti-Static
and Fiber Toe Shoes are Electrical Resistant by Default
ISI Certified, IS 15298

IS: 15298:2016
PART-2

CM/L:4822668



Single Density

430 gms/pc

Application :

- Pharma, RnD
- General Industry
- Wood Shop Etc,,,



Double Density

550 gms/pc

Application :

- Cement Industry
- Construction Industry
- Engineering Industry Etc,,,



Cheetah Range

Cheetah

Weight :525 gms / Pc (Appx)

- Design : Derby
- Sole : Single Density PU
- Upper : 100% Leather
- Counter: Fabric Heal Counter
- Toe : Steel Toe 200 Joules
Fiber Toe 100 Joules
- Size : 5-11
- Insocks : Normal insoles
- ISI Certified, IS 15298



IS: 15298:2016
PART-2

CML:4822668



Prince

- Design : Derby
- Sole : Single Density PU
- Upper : 100% Leather
- Counter : Fabric Heal Counter
- Toe : Steel Toe 100 Joules
- Size : 6-11



Glacier



- Design : High Ankle
- Sole : Double Density Injection Moulded PU
- Upper : 100% Leather with Reflective trims
- Counter : Fabric Heal Counter
- Toe : Composite Toe 200joules
- Size : 5-11
- Insocks : Foam Insole for all Day Comfort
- ISI Certified, IS 15298
- Weight :500 gms / Pc (Appx)

IS: 15298:2016
PART-2



CM/L:4822668



Womens Range

Weight :425 gms / Pc (Appx)



Fiona

Design : Welcro Flap
Sole : TPR Sole
Upper : 100% Leather
Counter : Fabric Heal Counter
Toe : Fiber Toe 100 Joules
Insocks : Foam type Insole
Size : 2-8

Weight :450 gms / Pc (Appx)



Fortuna



Design : Derby
Sole : Injection Moulded PU
Upper : 100% Leather
Counter : Fabric Heal Counter
Toe : Steel Toe 100 Joules
Size : 2-8

Other Unisex Models to Choose from :

Comfort
(pg 7)



Cruz (pg 6)



Sporty (pg 6)



Heat Resistant Range

Nitro-X



IS: 15298:2016
PART-2



- | | |
|-----------------|--|
| Type | - Derby Nitrile Rubber Safety Shoes |
| Size | - 5 To 12 (39 To 46) |
| Upper | - Grain Leather |
| Upper Thickness | - 1.8-2.0mm |
| Out Sole | - Nitrile Rubber Sole |
| Insole | - (Heat Resistant Up To 300°C)
Soft EVA 4mm |
| Construction | - Direct Vulcanizing Process &
Toe Cap Lasted By Imported Machine |
| Fitting | - English Fitting |
| Lask | - 522 (Broad Shape) |
| Lining | - Skin Fit (250.gsm)/Leather |
| Laces | - 90cm Round |
| Toe Cap | - En 12568 Marked (Imported)
Impact Resistance 200J |
| Colour | - Full Black / Black Green |
| Approval | - IS:15298:2016 Part-2, CE |

Burn +

- Design : High Ankle with Leather Flap
 Sole : Single Density Nitrile Sole
 (300°C Resistant)
 Upper : 100% Leather
 Counter : Fabric Heal Counter
 Insocks : Foam type High Comfort
 Toe : Composite Toe 200 Joules
 Size : 5-11

ISI Certified IS 15298



IS: 15298:2016
PART-2



CM/L:4822668



Weight : 598gms / Pc (Appx)



Economy Range

Dino

Design : Derby
Sole : Injection Moulded PVC
Upper : PVC
Counter : Fabric Heal Counter
Toe : Steel Toe 100 Joules
Size : 6-11



Rider (Leather)

Design : Derby
Sole : PVC Pasted and Stitched
Upper : 100% Leather
Counter : Fabric Heal Counter
Toe : Steel Toe 100 Joules
Size : 6-11

Application : Construction Workers
General Works



Ryder (Polymer)

Design : Single Piece Moulded **Unisex Shoes**
Sole : Rikilite P02 Polymer
Upper : Rikilite P02 Polymer
100% Water Proof Design
Toe : Composite Toe
Size : 2-11

Application : Gardening, Cement Mixing,
working in water / Chemicals



Boots Range

Worlds Lightest Safety Gumboots

Lightboot Series Boots

- Uni-Mould Design (no stitch / no paste)
- MOC : Rikilite P02 Polymers
- Available with Toe and without toe
- Composite Toe, Size : 4-11



Lightboot Jr
(9" Height)



Lightboot 14" Height



Lightboot Premium
Available in White, Blue, Yellow,
Grey, Brown and Black colours



Commando 9"

- MOC: PVC
- Acid & Alkali resist & Anti-skid Sole
- Without Toe
- without fabric lining
- Sizes 6-11,
- Warranty : 3 Months



Super 12"



Goldyear Mangla 14"

- ISI Approved as per IS 12254,
- MOC: Virgin PVC
- Acid & Alkali resist & Anti-skid Tough Sole
- With steel toe
- Dual Density Sole with Inner fabric lining
- Sizes 6-11, Warranty : 6 Months



Platinum Gold 15"

Farm Boot

- Rubber Boot Latex Material

Applications :

- Rice Farms or Other farms
- sludges with no sharp objects



Electroboot

Di-electric Electrical Boots

- suitable up to 29kv
- MOC : Rikilite P05 Polymers,
- Composite Toe for safety.
- Size : 4-11,
- 320gms with Toe.



Head & Face Protection



Ear Protection



Eye Protection



Respiratory Protection



Body Protection



Hand Protection



Foot Protection



Fall Protection



Ladders & Scaffolds



Eyewash and Shower



First Aid



LOTO(Lockout-Tagout)



Fire Extinguisher



Fire Hydrant Solutions



Flame Proof Torch



Rescue Tools



Gas Detection



Road Safety



Signages & Tapes



Spill Control



Safety Cabinets



Safety Scissors



Non Sparking Tools



Electrical Safety



Anti-Static &ESD



Cryo Safety

About us

We are Family Business !

Started in 1995 as trading company selling PPE, we have transformed ourselves into one of the largest provider of Industrial Safety Solutions. Presence in 8 cities across the nation, a product range of over 3000 SKU's and warehousing facility of over 40,000sqft, We try to meet all your safety needs in time.

Our team of 50+ members works like a family to serve you with latest and best safety equipments. We understand we are

Brands we Carry



Note : Above brands are owned by respective companies, we are only stating that we keep stock of these brands, and do not claim to be authorised Distributors / Channel Partners.

Contact us



Subham Safety Engineers

Safety House, 55 Malany Colony, New Bowenpally,
Secunderabad, Telangana State, India 500011
+91 40 42300068 | info@subhamsafety.com

Telangana
sales@subhamsafety.com
040 423 000 68 / 91000 300 75

Karnataka
blr@subhamsafety.com
7760 3333 12

North-East
assam@subhamsafety.com
040 400 300 68 / 91000 300 86